

- [3] A. Makroglou, J. Li y Y. Kuang, «Mathematical models and software tools for the glucose-insulin regulatory system and diabetes: an overview,» *Applied Numerical Mathematics*, vol. 56, pp. 559-573, 2006.
- [4] J. Sturis, K. S. Polonsky, E. Mosekilde y E. V. Cauter, «Computer model for mechanisms underlying ultradian oscillations of insulin and glucose,» *American Journal of Physiology*, vol. 260, n° 5, pp. E801-E809, 1991.
- [5] W. Liu y F. Tang, «Modeling a simplified regulatory system of blood glucose at molecular level,» *Journal of Theoretical Biology*, pp. 608-620, 2008.
- [6] M. Korach- André, H. Roth, D. Barnoud, M. Péan, F. Péronnet y X. Leverve, «Glucose appearance in the peripheral circulation and liver glucose output in men after a large ^{13}C starch meal,» *Journal of Clinic Nutrition*, vol. 80, pp. 881-886, 2004.
- [7] W. Liu, C. Hsin y F. Tang, «A molecular mathematical model of glucose mobilization and uptake,» *Mathematical Biosciences*, pp. 121-129, 2009.
- [8] R. A. Rizza, L. J. Mandarino y J. E. Gerich, «Dose-response characteristics for effects of insulin on production and utilization of glucose in man,» *American Journal of Physiology - Endocrinology and Metabolism*, pp. E630-E639, 1981.
- [9] D. V. Giang, Y. Lenbury, A. D. Gaetano y P. Palumbo, «Delay model of glucose-insulin systems: Global stability and oscillated solutions conditional on delays,» *Journal of Mathematical Analysis and Applications*, vol. 343, pp. 996-1006, 2008.
- [10] A. Guyton y J. Hall, *Tratado de Fisiología Médica*, México: McGraw-Hill, 2001.